

Electronic Timer Control - 24-Hour Time Control, 3-Circuit, Mechanism Only

Item P1353ME



PRODUCT DESCRIPTION

This multipurpose 24-hour control is capable of automatically switching loads according to a preset daily schedule. Controls single- and two-speed pumps and cleaner/booster pumps. Three ON/OFF events per circuit per day.

FEATURES

- ▶ Controls single- and two-speed pumps and cleaner/booster pumps
- ▶ Three ON/OFF events per circuit per day
- ▶ Seven preprogrammed modes
- ▶ Freeze and heater protection
- ▶ LCD readout
- ▶ Multivoltage input and output
- ▶ Countdown and override features enable programs to be overridden and automatically resumed without requiring the user to reprogram the system

APPLICATIONS

- ▶ Motor Control
- ▶ Pump Control

TECHNICAL DATA

General	
Model Number	P1353ME
Description	24-Hour Time Control, 3-Circuit, Mechanism Only
UPC Code	078275086609
Brand	Intermatic
Country of Origin (Intermatic)	CANADA
Warranty Period	1-Year limited
Control Specifications	
Maximum ON/OFF Operations	3
Operation Mode	24 hour
Material Specifications	
Color	Ivory
Body Material	Metal
Communication Method	
Has WiFi	No
Load Ratings	
Tungsten Range(s)	5 A, 120/240 VAC, 50/60 Hz
Resistive Load Ratings Ranges	17 A, 120/240 VAC, 50/60 Hz
Motor Load Ratings Ranges	80 LRA @ 120/240 VAC, 50/60 Hz; 17 FLA @ 120/240 VAC, 50/60 Hz
Electrical Specifications	
Voltage Selection Type	Multi Voltage



Input Voltage Range(s)	120/240 VAC, 50/60 Hz
Number of Circuits	3
Switch Type	3-SPST
Hz	50/60

Packaging	
Shipping Weight (lbs)	1.597
Unit Carton Dimensions (H x W x L) in	8 x 3.25 x 5.25 in

Standards and Certifications	
CSA Certification	cCSAus
Other Certifications and Compatibilities	Green Energy
California Proposition 65	DEHP
RoHS Certification	X

ACCESSORIES



178PA28A  
Freeze Probe Kit, 10k OHM, For MultiWave systems



124--00066  
Insulator for 3-Circuit Timers