

Transformer - 300 W Pool & Spa Safety Transformer, Stainless Steel Enclosure, Input 120V, Output 12,13,14 V

Item PX300S



PRODUCT DESCRIPTION

These safety transformers are specifically designed to supply 12-14 VAC and are suitable for direct connection to underwater pool/spa lights. A grounded shield between the primary and secondary winding assures safe operation. Built-in circuit protection will disconnect power to the transformer in case of an overload.

FEATURES

- ▶ Mounting brackets on the top and bottom
- ▶ Built-in circuit protection disconnects power temporarily in case of overload
- ▶ Complies with NEC Code 680.23 requirements for underwater luminaries
- ▶ Noise filter accessory available separately (part number ET-NF).

APPLICATIONS

- ▶ Landscape Lighting
- ▶ Underwater Lighting

TECHNICAL DATA

| General | |
|--------------------------------|---|
| Model Number | PX300S |
| Description | 300 W Pool & Spa Safety Transformer, Stainless Steel Enclosure, Input 120V, Output 12,13,14 V |
| UPC Code | 078275067578 |
| Brand | Intermatic |
| Country of Origin (Intermatic) | MALAYSIA |
| Warranty Period | 1-Year limited |

| Mechanical Specifications | |
|---------------------------|--------------------------|
| Enclosure Type | 3R Brown stainless steel |

| Dimensions | |
|-----------------------------------|-----------------------------|
| Product Dimensions (H x W x D) in | 7.25 x 5.25 x 4.5 in |
| Knockout Dimensions Bottom | (4) combination 1/2" - 3/4" |
| Knockout Dimensions Back | (2) combination 1/2" - 3/4" |
| Knockout Dimensions Left | (2) combination 1/2" - 3/4" |
| Knockout Dimensions Right | (2) combination 1/2" - 3/4" |

| Material Specifications | |
|-------------------------|-------|
| Color | Beige |

| Electrical Specifications | |
|-------------------------------|------------------------|
| Output Voltages | 12 VAC; 13 VAC; 14 VAC |
| Maximum Power Consumption (W) | 300 W |
| Transformer (W) | 300 |
| Transformer Input Voltage | 3 A, 120 VAC, 60 Hz |
| Transformer Output Voltage | 12, 13, 14 VAC |

Packaging

| | |
|---------------------------------------|-----------------------|
| Shipping Weight (lbs) | 10.5 |
| Unit Carton Dimensions (H x W x L) in | 7.88 x 4.56 x 5.69 in |
| Product Weight (lbs) | 10.25 |
| Product Weight (kg) | 4.65 |

Standards and Certifications

| | |
|--|---|
| UL Certification | UL Swimming Pool Transformer, UL1838, and UL379 |
| Other Certifications and Compatibilities | NEC Code 680.23 |
| California Proposition 65 | DEHP |
| RoHS Certification | N/A |

ACCESSORIES



ET-NF

RC Snubber Noise Filter 24-277 VAC for Electronic Controls