

Transformer - 300 W Pool & Spa Safety Transformer, Stainless Steel Enclosure, Input 120V, Output 12,13,14 V

Item PX300S



PRODUCT DESCRIPTION

These safety transformers are specifically designed to supply 12-14 VAC and are suitable for direct connection to underwater pool/spa lights. A grounded shield between the primary and secondary winding assures safe operation. Built-in circuit protection will disconnect power to the transformer in case of an overload.

FEATURES

- ▶ Mounting brackets on the top and bottom
- ▶ Built-in circuit protection disconnects power temporarily in case of overload
- ▶ Complies with NEC Code 680.23 requirements for underwater luminaries
- ▶ Noise filter accessory available separately (part number ET-NF).

APPLICATIONS

- ▶ Landscape Lighting
- ▶ Underwater Lighting

TECHNICAL DATA

General	
Model Number	PX300S
Description	300 W Pool & Spa Safety Transformer, Stainless Steel Enclosure, Input 120V, Output 12,13,14 V
UPC Code	078275067578
Brand	Intermatic
Country of Origin (Intermatic)	MALAYSIA
Warranty Period	1-Year limited
Mechanical Specifications	
Enclosure Type	3R Brown stainless steel
Dimensions	
Product Dimensions (H x W x D) in	7.25 x 5.25 x 4.5 in
Knockout Dimensions Bottom	(4) combination 1/2" - 3/4"
Knockout Dimensions Back	(2) combination 1/2" - 3/4"
Knockout Dimensions Left	(2) combination 1/2" - 3/4"
Knockout Dimensions Right	(2) combination 1/2" - 3/4"
Material Specifications	
Color	Beige
Electrical Specifications	
Output Voltages	12 VAC; 13 VAC; 14 VAC
Maximum Power Consumption (W)	300 W
Transformer (W)	300
Transformer Input Voltage	3 A, 120 VAC, 60 Hz
Transformer Output Voltage	12, 13, 14 VAC

Packaging

Shipping Weight (lbs)	10.5
Unit Carton Dimensions (H x W x L) in	7.88 x 4.56 x 5.69 in
Product Weight (lbs)	10.25
Product Weight (kg)	4.65

Standards and Certifications

UL Certification	UL Swimming Pool Transformer, UL1838, and UL379
Other Certifications and Compatibilities	NEC Code 680.23
California Proposition 65	DEHP
RoHS Certification	N/A

ACCESSORIES



ET-NF

RC Snubber Noise Filter 24-277 VAC for Electronic Controls