

Weatherproof Cover - Plastic In-Use Weatherproof Cover, Double-Gang, Vrt, 2.25" White

Item WP1020WC



FEATURES

- ▶ Complies with 2020 NEC Article 314.15 for damp and wet locations
- ▶ UL Certified for Type 3R outdoor enclosures
- ▶ Meets requirements for cold impact testing: -60° F (-51° C)
- ▶ Heavy-duty UV stabilized polycarbonate cover, mounting base and inserts
- ▶ 1/8" (3 mm) thick neoprene gasket with slits for mounting screws
- ▶ Two inserts provided with all models for multiple installations
- ▶ Max cord size: (2) #14 AWG or (1) #12 AWG, WP1050 (2) #14 AWG or (1) #10 AWG
- ▶ Warranty: 1-year limited

APPLICATIONS

- ▶ Receptacle Protection

TECHNICAL DATA

General

| | |
|--------------------------------|--|
| Model Number | WP1020WC |
| Description | Plastic In-Use Weatherproof Cover, Double-Gang, Vrt, 2.25" White |
| UPC Code | 078275140110 |
| Brand | Intermatic |
| Country of Origin (Intermatic) | MEXICO |
| Warranty Period | 1-Year limited |

Mechanical Specifications

| | |
|----------------------------|--------------|
| Number of Included Inserts | 2 |
| Insert Types Included | WP101; WP102 |
| Hinge Direction | Vertical |
| Is Extra-Duty Rated | No |
| Number of Gangs | Double |
| Electrical Box Shape | Square |

Dimensions

| | |
|-----------------------------------|----------------------|
| Product Dimensions (H x W x D) in | 5 1/2 x 5 x 2 1/4 in |
| Accepted Cord Size Max | 2x14 AWG; 1x12 AWG |
| Box Type | Double |

Material Specifications

| | |
|-----------------------------|-----------------------|
| Color | White |
| Weatherproof Cover Material | UV Stabilized Plastic |

Packaging

| | |
|---------------------------------------|--------------------------|
| Shipping Weight (lbs) | 0.539 |
| Unit Carton Dimensions (H x W x L) in | 3.133 x 5.253 x 5.503 in |

Standards and Certifications

| | |
|---------------------------|-------|
| UL Certification | cULus |
| California Proposition 65 | None |

ACCESSORIES



WP101
Double-Gang Duplex Insert



WP102
Double-Gang GFCI Insert