

## Weatherproof Cover - Plastic In-Use Weatherproof Cover, Vertical Mount, Double-Gang, GFCI & Round Single-Gang Horizontal or Vertical application, 4.75" Clear

Item WP1050



 UL us

### PRODUCT DESCRIPTION

Plastic In-Use Weatherproof Covers are easy to install and include a gasket, mounting screws, base, cover assembly, and 2 inserts to meet the needs of vertical or horizontal single-gang GFCI & Round applications.

### FEATURES

- Complies with 2020 NEC Article 314.15 for damp and wet locations
- UL Certified for Type 3R outdoor enclosures
- Meets requirements for cold impact testing: -60° F (-51° C)
- Heavy-duty UV stabilized polycarbonate cover, mounting base and inserts
- 1/8" (3 mm) thick neoprene gasket with slits for mounting screws
- WP102 GFCI & WP107 Round single-gang application inserts included.
- Inserts can be rotated to fit vertical or horizontal applications.
- Fits standard square 4" wall boxes with single-gang applications.
- Max cord size: (2) #14 AWG or (1) #12 AWG, WP1050 (2) #14 AWG or (1) #10 AWG
- Warranty: 1-year limited

### APPLICATIONS

- Receptacle Protection

### TECHNICAL DATA

#### General

|                                |  |
|--------------------------------|--|
| Model Number                   | WP1050   |
| Description                    | Plastic In-Use Weatherproof Cover, Vertical Mount, Double-Gang, GFCI & Round Single-Gang Horizontal or Vertical application, 4.75" Clear |
| UPC Code                       | 078275028135   |
| Brand                          | Intermatic   |
| Country of Origin (Intermatic) | MEXICO   |
| Warranty Period                | 1-Year limited   |

#### Mechanical Specifications

|                            |              |
|----------------------------|--------------|
| Number of Included Inserts | 2            |
| Insert Types Included      | WP102; WP107 |
| Hinge Direction            | Vertical     |
| Is Extra-Duty Rated        | No           |
| Number of Gangs            | Double       |
| Electrical Box Shape       | Square       |

#### Dimensions

|                                   |                    |
|-----------------------------------|--------------------|
| Product Dimensions (H x W x D) in | 6 x 5 x 4.75 in    |
| Accepted Cord Size Max            | 2x14 AWG; 1x10 AWG |
| Box Type                          | Double             |

#### Material Specifications

|                             |                       |
|-----------------------------|-----------------------|
| Color                       | Clear                 |
| Weatherproof Cover Material | UV Stabilized Plastic |

**Packaging**

|                                       |                   |
|---------------------------------------|-------------------|
| Shipping Weight (lbs)                 | 0.899             |
| Unit Carton Dimensions (H x W x L) in | 5.5 x 5 x 6.25 in |

**Standards and Certifications**

|                           |       |
|---------------------------|-------|
| UL Certification          | cULus |
| California Proposition 65 | None  |
| RoHS Certification        | N/A   |

---

## ACCESSORIES



WP102  
Double-Gang GFCI Insert



WP107  
Double-Gang Round Insert, 1 3/8", 1 5/8", 1 3/4"