


Weatherproof Cover - 5x5, 18" Double-Gang Hinge Top Pedestal, Black

Item OP5BK18

PRODUCT DESCRIPTION



Provides convenient access to power in shared spaces with a heavy-duty power pedestal from Intermatic. These easy-to-install, low-maintenance cULus 1773 approved solutions are built of heavy gauge 304L stainless steel with 14 GA uprights, powder-coated and designed to withstand the harshest outdoor environments. Each power pedestal includes a self-closing, lockable cover for added security. Ideal for retrofit and new construction applications, they're a simple way to support everyday power needs (e.g., phone charging) and facility operations (e.g., holiday lighting).

FEATURES

- OP5XXXX Double-Gang Pedestals require a selection of an MPXXXXX Device Mounting Plate that meets your application needs. (Order Separately)
- Welded construction, built of heavy gauge 304L stainless steel with 14 GA uprights, powder-coated and designed to withstand the harshest outdoor environments.
- Welded construction, built of heavy gauge 304L stainless steel with 14 GA uprights, powder-coated and designed to withstand the harshest outdoor environments.
- Designed for quick and easy installation and low maintenance.
- Model accommodates 20 A to 60 A devices.
- Secure - in-use, tamper-resistant with self-closing reinforced hinge-top and hasp accepting up to 1/4" lock.

APPLICATIONS

- Power Pedestals

TECHNICAL DATA

General

Model Number	OP5BK18
Description	5x5, 18" Double-Gang Hinge Top Pedestal, Black
UPC Code	078275158023
Brand	Intermatic
Country of Origin (Intermatic)	CANADA
Warranty Period	2-Year limited

Mechanical Specifications

Hinge Direction	Vertical
Base	Surface Mount
Device Type Mounting Plate	Order separately - See accessories on product page
Mounting Plate Included	No
Ground Wire Max	4 GA Copper Solid
Ground Wire Min	14 GA Copper Solid
Number of Gangs	Double
Max Load	20 A; 30-60 A (must be water-tight)
Pedestal Type	Hinge-Top

Dimensions

Lockable Hasp Maximum Diameter (in)	0.25
Lockable Hasp Maximum Diameter (mm)	6.35
Product Dimensions (H x W x D) in	18 x 2.8 x 6.375 in
Pedestal Height	18"

Material Specifications

Color	Black
Base Material	304L 3/16" Powder Coated Stainless Steel
Body Material	304L 14GA Powder Coated Stainless Steel
UV Resilient Outdoor Enclosure	Yes

Packaging

Shipping Weight (lbs)	13
Product Weight (kg)	5.67
Unit Carton Dimensions (H x W x L) in	21 x 11 x 11 in
Product Weight (lbs)	12.5

Standards and Certifications

UL Certification	cULus
UL Standard	UL1773
California Proposition 65	None
RoHS Certification	Y

ACCESSORIES



MP5BKD

20 A, Double-Gang Mounting Plate, Black



MP5BKS3S

30 A, 1-9/16" Mounting Plate, Black



MP5BKS3L

30 A, 2-1/8" Mounting Plate, Black



MP5BKS56L

50/60 A, Mounting Plate, Black