

Weatherproof Cover - Extra-Duty Die-Cast In-Use Weatherproof Cover, Single-Gang, Vrt, 2.75" Gray

Item WP3110MXD



PRODUCT DESCRIPTION

Die-Cast In-Use Aluminum Weatherproof Covers are extra-duty rated and easy to install. Heavy-duty die-cast aluminum construction ensures long-lasting durability. Covers come with a gasket, mounting screws, base, cover assembly and inserts to meet the needs of a variety of applications.

FEATURES

- ▶ Complies with 2020 NEC Article 406.9 (B)(1) for wet locations and extra-duty applications
- ▶ CEC Article 26-702 Compliant
- ▶ UL Certified for Type 3R outdoor enclosures
- ▶ Meets requirements for cold impact testing: -60° F (-51° C)
- ▶ Heavy-duty die-cast aluminum cover and mounting base with UV stabilized polycarbonate inserts
- ▶ 1/8" (3 mm) thick, neoprene gasket with slits for mounting screws
- ▶ Lockable hasp: All models accept up to 1/4" (6 mm) dia shank
- ▶ Impact rated: 12 lbf. impact test to ensure cover remains intact
- ▶ Reinforced hinge pin designed to exceed 40 lbf. hinge hang/stress test
- ▶ Warranty: 1-year limited

APPLICATIONS

- ▶ Engine Block Heaters
- ▶ Receptacle Protection
- ▶ Walk-in Refrigeration Cooler/Freezer

TECHNICAL DATA

| General | |
|--------------------------------|---|
| Model Number | WP3110MXD |
| Description | Extra-Duty Die-Cast In-Use Weatherproof Cover, Single-Gang, Vrt, 2.75" Gray |
| UPC Code | 078275130098 |
| Brand | Intermatic |
| Country of Origin (Intermatic) | INDIA |
| Warranty Period | 1-Year limited |

| Mechanical Specifications | |
|----------------------------|-----------|
| Number of Included Inserts | 3 |
| Insert Types Included | WP17 |
| Hinge Direction | Vertical |
| Is Extra-Duty Rated | Yes |
| Number of Gangs | Single |
| Electrical Box Shape | Rectangle |

| Dimensions | |
|-----------------------------------|-----------------------|
| Product Dimensions (H x W x D) in | 6.375 x 3.8 x 2.75 in |
| Accepted Cord Size Max | 1x12 AWG |
| Box Type | Single |

Material Specifications

Color Gray

Packaging

| | |
|---------------------------------------|--------------------------|
| Shipping Weight (lbs) | 1.2 |
| Unit Carton Dimensions (H x W x L) in | 2.875 x 3.875 x 6.375 in |

Standards and Certifications

| | |
|---------------------------|-------|
| UL Certification | cULus |
| California Proposition 65 | None |
| RoHS Certification | N/A |

ACCESSORIES



WP17
Single-Gang Inserts (3)