

Load Center - 60 A Load Center

Item PE20000



PRODUCT DESCRIPTION

This system can be used as a load center only, or add mechanisms or wiring devices for complete control systems.

FEATURES

- ▶ Four breaker spaces
- ▶ 3-SPST mechanism (P1353ME) controls single- and two-speed filter pumps, cleaner/booster pumps and pool/spa landscape lighting
- ▶ Load center dead front has two knockouts for switches or GFCIs
- ▶ P1353ME and MultiWave® controllers sold separately
- ▶ Wiring devices may be installed in these load centers with the use of Standoffs, sold separately
- ▶ Also compatible with T100 Series

APPLICATIONS

- ▶ Distribution/Control Panel

TECHNICAL DATA

| General | |
|--|----------------------------|
| Model Number | PE20000 |
| Description | 60 A Load Center |
| UPC Code | 078275107311 |
| Brand | Intermatic |
| Country of Origin (Intermatic) | MEXICO |
| Warranty Period | 1-Year limited |
| Mechanical Specifications | |
| Number of Breaker Knockouts | 4 |
| Dimensions | |
| Product Dimensions (H x W x D) in | 16.875 x 10.875 x 4.75 in |
| Material Specifications | |
| Color | Ivory |
| Electrical Specifications | |
| Number of Receptacle/Switch Knockouts | 2 |
| Packaging | |
| Shipping Weight (lbs) | 14.27 |
| Unit Carton Dimensions (H x W x L) in | 6.001 x 17.251 x 12.251 in |
| Standards and Certifications | |
| CSA Certification | cCSAus |
| Other Certifications and Compatibilities | Green Energy |
| California Proposition 65 | None |

RoHS Certification

N/A

ACCESSORIES



178PA28A
Freeze Probe Kit, 10k OHM, For
MultiWave systems



21T166A
Spacer-Standoff, 3" long - 2 pack



21T156A
Spacer-Standoff, 3" long - 4 pack

22T713
Bracket Painted

8--00008A
Latch-Enclosure

124--00139A
4-Pole Buss Bar Assembly