

## Mechanical Time Switch - 7-Day Mechanical Time Switch, 208-277 VAC, 60Hz, SPDT, Indoor Metal Enclosure, 2 Hour Interval

Item T2006



### PRODUCT DESCRIPTION

These compact 7-Day Mechanical Time Switches offer the capability of having a different schedule for each day of the week. They can handle up to 20 A of resistive loads and up to six ON/OFF settings per day.

### FEATURES

- ▶ Minimum 2-hour timing intervals
- ▶ Up to 42 ON/OFF operations per week
- ▶ Type 1 rated metal indoor enclosure

### APPLICATIONS

- ▶ Timing/Scheduling ON/OFF
- ▶ Indoor Lighting Control

### TECHNICAL DATA

#### General

Model Number	T2006
Description	7-Day Mechanical Time Switch, 208-277 VAC, 60Hz, SPDT, Indoor Metal Enclosure, 2 Hour Interval
UPC Code	078275460218
Brand	Intermatic
Country of Origin (Intermatic)	MEXICO
Warranty Period	1-Year limited

#### Control Specifications

Minimum ON/OFF Times	2 hours
Maximum ON/OFF Operations	42
Skipper Wheel	Not Included
Operation Mode	7 day
Has Manual Override	Yes

#### Mechanical Specifications

Enclosure Type	Indoor type 1 metal
Number of Trippers Included	84

#### Dimensions

Product Dimensions (H x W x D) in	7.875 x 5.125 x 3.437 in
Wire Size Min	#14 AWG
Wire Size Max	#12 AWG

#### Material Specifications

Color	Gray
-------	------

#### Load Ratings

Resistive Load Ratings Ranges	20 A, 125, 208-277 VAC, 60 Hz
Motor Load Ratings Ranges	1/2 HP, 125 VAC, 60 Hz; 1 HP, 250 VAC, 60 Hz

**Electrical Specifications**

Wiring Option	Terminals
Input Voltage Range(s)	208-277 VAC, 60 Hz
Number of Circuits	1
Switch Type	SPDT
Maximum Power Consumption (W)	3 W
Hz	60

**Packaging**

Shipping Weight (lbs)	3.75
Unit Carton Dimensions (H x W x L) in	8.25 x 3.5 x 5.5 in

**Environmental Specifications**

Temperature (operation)	-40 °F to 130 °F / (-40 °C to 54 °C)
-------------------------	--------------------------------------

**Standards and Certifications**

CSA Certification	cCSAus
Other Certifications and Compatibilities	Green Energy
California Proposition 65	Lead
RoHS Certification	N/A

## ACCESSORIES



156T1950A  
Set of 12 Trippers for T1900, T2000,  
C8800, R8800 and T8800 Series



22T338GR  
Mounting Bracket for Intermatic  
Standardized Timer Mechanisms



124T2058  
Insulator for T1905, T1906, T2006,  
T2005, C8815, C8825, C8835, C8845,  
C8855, C8865, C8866



124T907A  
Insulator Assembly (S001)



133T701A  
Replacement Snap Switch for T1900  
and T2000 Series



156T1957A  
Skipper Screws (3 per package)



156T2978A  
Package Accessory Trippers

156T1950AD12  
12 Bags of 156T1950A Trippers for  
T1900, T2000, C8800, R8800, and  
T8800 Series