

Electronic Timer Control - 24-Hour Time Control, 3-Circuit, Mechanism Only

Item P1353ME



PRODUCT DESCRIPTION

This multipurpose 24-hour control is capable of automatically switching loads according to a preset daily schedule. Controls single- and two-speed pumps and cleaner/booster pumps. Three ON/OFF events per circuit per day.

FEATURES

- Controls single- and two-speed pumps and cleaner/booster pumps
- Three ON/OFF events per circuit per day
- Seven preprogrammed modes
- Freeze and heater protection
- LCD readout
- Multi-voltage input and output
- Countdown and override features enable programs to be overridden and automatically resumed without requiring the user to reprogram the system

APPLICATIONS

- Motor Control
- Pump Control

TECHNICAL DATA

General

Model Number	P1353ME
Description	24-Hour Time Control, 3-Circuit, Mechanism Only
UPC Code	078275086609
Brand	Intermatic
Country of Origin (Intermatic)	CANADA
Warranty Period	1-Year limited

Control Specifications

Maximum ON/OFF Operations	3
Operation Mode	24 hour

Material Specifications

Color	Ivory
Body Material	Metal

Communication Method

Has WiFi	No
----------	----

Load Ratings

Tungsten Range(s)	5 A, 120/240 VAC, 50/60 Hz
Resistive Load Ratings Ranges	17 A, 120/240 VAC, 50/60 Hz
Motor Load Ratings Ranges	80 LRA @ 120/240 VAC, 50/60 Hz; 17 FLA @ 120/240 VAC, 50/60 Hz

Electrical Specifications

Voltage Selection Type	Multi-Voltage
Input Voltage Range(s)	120/240 VAC, 50/60 Hz

Number of Circuits	3
Switch Type	3-SPST
Hz	50/60

Packaging

Shipping Weight (lbs)	1.597
Unit Carton Dimensions (H x W x L) in	8 x 3.25 x 5.25 in

Standards and Certifications

CSA Certification	cCSAus
Other Certifications and Compatibilities	Green Energy
California Proposition 65	DEHP
RoHS Certification	N/A

ACCESSORIES



178PA28A
Freeze Probe Kit, 10k OHM, For MultiWave systems



124--00066
Insulator for 3-Circuit Timers