

## Plug-In Timer - Outdoor Mechanical Plug-In Timer with Built-In Enclosure

Item P1131



### PRODUCT DESCRIPTION

These plug-in timers are grounded and utilize a flip-open enclosure rated for outdoor use. These heavy-duty timers are great for providing timer function to pumps, landscaping or holiday lighting. 24-hour timers come with 2 On and 2 Off settings.

### FEATURES

- ▶ 2 ON/2 OFF settings per day with removable trippers, more ON/OFF events with addition of extra trippers
- ▶ Minimum 30-min ON/OFF time
- ▶ Built into outdoor rated enclosure with clear or black flip cover
- ▶ Grounded standard or locking type style NEMA plug and receptacle
- ▶ Plugs directly into wall outlet

### APPLICATIONS

- ▶ Outdoor Lighting Control
- ▶ Landscape Water Control
- ▶ Pool Pump
- ▶ Outdoor Water Fountains

### TECHNICAL DATA

#### General

|                                |  |
|--------------------------------|--|
| Model Number                   | P1131  |
| Description                    | Outdoor Mechanical Plug-In Timer with Built-In Enclosure |
| UPC Code                       | 078275060982   |
| Brand                          | Intermatic   |
| Country of Origin (Intermatic) | MEXICO   |
| Warranty Period                | 1-Year limited   |

#### Control Specifications

|                             |                        |
|-----------------------------|------------------------|
| Minimum ON/OFF Times        | 30 min                 |
| ON/OFF Operations           | 2                      |
| Mechanism Type              | Analog/Mechanical      |
| Application Compatibilities | Incandescent; Tungsten |

#### Mechanical Specifications

|                     |       |
|---------------------|-------|
| Plug Configurations | L5-20 |
|---------------------|-------|

#### Dimensions

|                                   |                          |
|-----------------------------------|--------------------------|
| Product Dimensions (H x W x D) in | 5 3/8 x 5 1/8 x 2 1/2 in |
| Cord Size                         | 22"                      |

#### Material Specifications

|             |       |
|-------------|-------|
| Color       | Black |
| Cover Color | Clear |

#### Load Ratings

|       |                                |
|-------|--------------------------------|
| Motor | 1 HP, 16 FLA, 96 LRA @ 120 VAC |
|-------|--------------------------------|

**Electrical Specifications**

|                        |                |
|------------------------|----------------|
| Input Voltage Range(s) | 120 VAC, 60 Hz |
| Watts                  | 2400           |

**Packaging**

|                                       |                       |
|---------------------------------------|-----------------------|
| Unit Carton Dimensions (H x W x L) in | 7.75 x 3.81 x 5.75 in |
|---------------------------------------|-----------------------|

**Environmental Specifications**

|                    |         |
|--------------------|---------|
| Usage Environments | Outdoor |
|--------------------|---------|

**Standards and Certifications**

|                           |        |
|---------------------------|--------|
| CSA Certification         | cCSAus |
| California Proposition 65 | DEHP   |

---

## ACCESSORIES



107TN221

Red (OFF) tripper for TN, PB, TB Series, P1101, P1131, P1161, P1261P, AL300TPWS, AL600TPWS and AL900TPWS



107TN222

Turquoise (ON) tripper for TN, PB, TB Series, P1101, P1131, P1161, P1261P, AL300TPWS, AL600TPWS and AL900TPWS