

Plug-In Timer -

Item P1131



PRODUCT DESCRIPTION

These plug-in timers are grounded and utilize a flip-open enclosure rated for outdoor use. These heavy-duty timers are great for providing timer function to pumps, landscaping or holiday lighting. 24-hour timers come with 2 On and 2 Off settings.

FEATURES

- ▶ 2 ON/2 OFF settings per day with removable trippers, more ON/OFF events with addition of extra trippers.
- ▶ Minimum 30-min ON/OFF time.
- ▶ Built into outdoor rated enclosure with clear or black flip cover.
- ▶ Grounded twist-lock NEMA 5L-20 plug & receptacle.
- ▶ Plugs directly into wall outlet.

APPLICATIONS

- ▶ Outdoor Lighting Control
- ▶ Landscape Water Control
- ▶ Pool Pump
- ▶ Outdoor Water Fountains

TECHNICAL DATA

General

Model Number	P1131
UPC Code	078275060982
Brand	Intermatic
Country of Origin (Intermatic)	MEXICO
Warranty Period	1-Year limited
TARIC HS Code	9107.00.00

Control Specifications

Minimum ON/OFF Times	30 min
Mechanism Type	Analog/Mechanical
Application Compatibilities	Incandescent; Tungsten
On Events	24
Off Events	24
Total Events	48

Mechanical Specifications

Plug Configurations	L5-20
Mount Type	Plug-In

Dimensions

Product Dimensions (H x W x D) in	5.375 x 5.125 x 2.5 in
Cord Size	22"

Material Specifications

Color	Black
-------	-------

Load Ratings

Motor Load Ratings Ranges 1 HP, 16 FLA, 96 LRA @ 120 VAC

Electrical Specifications

Input Voltage Range(s) 120 VAC, 60 Hz

Watts 2400

Hz 60

Amperage 20 A

Packaging

Shipping Weight (lbs) 1.647

Unit Carton Dimensions (H x W x L) in 7.75 x 3.81 x 5.75 in

Environmental Specifications

Usage Environments Outdoor

Standards and Certifications

CSA Certification cCSAus

Other Certifications and Compatibilities Green Energy

California Proposition 65 DEHP

RoHS Certification N/A

ACCESSORIES



107TN221

Red (OFF) tripper for TN, PB, TB Series, P1101, P1131, P1161, P1261P, AL300TPWS, AL600TPWS and AL900TPWS



107TN222

Turquoise (ON) tripper for TN, PB, TB Series, P1101, P1131, P1161, P1261P, AL300TPWS, AL600TPWS and AL900TPWS