

Plug-In Timer -

Item TN111RM40



PRODUCT DESCRIPTION

Plug-in timer rated for installation into a Type 3R outdoor low voltage transformer enclosure. Simple implementation of ON/OFF schedule.

FEATURES

- ▶ 2 ON/2 OFF settings per day with removable trippers, more ON/OFF events with addition of extra trippers
- ▶ Minimum 30-min ON/OFF time
- ▶ Rated for outdoor use in a Type 3R outdoor enclosure
- ▶ Manual override dial

APPLICATIONS

- ▶ Air Movement & Ventilation
- ▶ Indoor Lighting Control
- ▶ Outdoor Lighting Control
- ▶ Landscape Water Control

TECHNICAL DATA

General	
Model Number	TN111RM40
UPC Code	078275097384
Brand	Intermatic
Country of Origin (Intermatic)	MEXICO
Warranty Period	1-Year limited
TARIC HS Code	9107.00.00
Control Specifications	
Minimum ON/OFF Times	30 min
Mechanism Type	Analog/Mechanical
On Events	24
Off Events	24
Total Events	48
Mechanical Specifications	
Number of Plugs	1
Plug Configurations	1-15
Dimensions	
Product Dimensions (H x W x D) in	3.125 x 3 x 2 in
Material Specifications	
Color	Black
Load Ratings	
Inductive	9 A, 125 VAC, 60 Hz



Electrical Specifications		
Input Voltage Range(s)		125 VAC, 60 Hz
Hz		60
Packaging		
Shipping Weight (lbs)		0.55
Unit Carton Dimensions (H x W x L) in		4 x 3 x 4 in
Environmental Specifications		
Usage Environments		Outdoor
Standards and Certifications		
CSA Certification		cCSAus
Other Certifications and Compatibilities		Green Energy
California Proposition 65		None
RoHS Certification		N/A

ACCESSORIES



107TN221

Red (OFF) tripper for TN, PB, TB Series, P1101, P1131, P1161, P1261P, AL300TPWS, AL600TPWS and AL900TPWS



107TN222

Turquoise (ON) tripper for TN, PB, TB Series, P1101, P1131, P1161, P1261P, AL300TPWS, AL600TPWS and AL900TPWS



156PB10398A

Trippers - Clip, ON/OFF, 24 Hour for PB and PF1100 Series