

Plug-In Timer -

Item TN111K



PRODUCT DESCRIPTION

The TN111K premium indoor 24-hour plug-in timer is simple to use and program. Simply set the ON/OFF trippers into the desired time slots, and then plug the light into the timer and the timer into the wall outlet. It is ideal for lamps and appliances. You can schedule 2 ON/OFF events at 15-minute intervals. CSA certified. 15 A, 125 VAC, 60 Hz.

FEATURES

- ▶ Controls LED and CFL lights
- ▶ Comes with 2 ON/2 OFF trippers
- ▶ Single 2-prong plug and receptacle
- ▶ Manual override
- ▶ 24 hour timer
- ▶ Two events

TECHNICAL DATA

General

| | |
|--------------------------------|----------------|
| Model Number | TN111K |
| UPC Code | 078275143333 |
| Brand | Intermatic |
| Country of Origin (Intermatic) | MEXICO |
| Warranty Period | 1-Year limited |
| TARIC HS Code | 9107.00.00 |

Control Specifications

| | |
|----------------------|-------------------|
| Minimum ON/OFF Times | 15 min |
| Operation Mode | 24 hour |
| Mechanism Type | Analog/Mechanical |
| On Events | 24 |
| Off Events | 24 |
| Total Events | 48 |

Mechanical Specifications

| | |
|---------------------|---------|
| Number of Plugs | 1 |
| Plug Configurations | 5-15 |
| Mount Type | Plug-In |

Dimensions

| | |
|-----------------------------------|------------------|
| Product Dimensions (H x W x D) in | 3.125 x 3 x 2 in |
|-----------------------------------|------------------|

Material Specifications

| | |
|-------|-------|
| Color | White |
|-------|-------|

Load Ratings

| | |
|---------------------------|------------------------|
| Incandescent Load Ratings | 1875 W, 125 VAC, 60 Hz |
|---------------------------|------------------------|

Electrical Specifications

| | |
|------------------------|----------------|
| Input Voltage Range(s) | 125 VAC, 60 Hz |
| Hz | 60 |
| Amperage | 15 A |

Packaging

| | |
|---------------------------------------|--------------------------|
| Shipping Weight (lbs) | 0.42 |
| Unit Carton Dimensions (H x W x L) in | 3.125 x 3.125 x 3.125 in |
| Product Weight (lbs) | 0.42 |
| Product Weight (kg) | 0.19 |

Environmental Specifications

| | |
|--------------------|--------|
| Usage Environments | Indoor |
|--------------------|--------|

Standards and Certifications

| | |
|--|--------------|
| CSA Certification | cCSAus |
| Other Certifications and Compatibilities | Green Energy |
| California Proposition 65 | None |
| RoHS Certification | N/A |

ACCESSORIES



107TN221

Red (OFF) tripper for TN, PB, TB Series, P1101, P1131, P1161, P1261P, AL300TPWS, AL600TPWS and AL900TPWS



107TN222

Turquoise (ON) tripper for TN, PB, TB Series, P1101, P1131, P1161, P1261P, AL300TPWS, AL600TPWS and AL900TPWS