


Mechanical Time Switch - 7-Day Mechanical Time Switch, 208-277 VAC, 60Hz, SPDT, Indoor Metal Enclosure, 2 Hour Interval

Item T2006



PRODUCT DESCRIPTION

These compact 7-Day Mechanical Time Switches offer the capability of having a different schedule for each day of the week. They can handle up to 20 A of resistive loads and up to six ON/OFF settings per day.

FEATURES

- ▶ Minimum 2-hour timing intervals
- ▶ Up to 42 ON/OFF operations per week
- ▶ Type 1 rated metal indoor enclosure

APPLICATIONS

- ▶ Timing/Scheduling ON/OFF
- ▶ Indoor Lighting Control

TECHNICAL DATA

General

Model Number	T2006
Description	7-Day Mechanical Time Switch, 208-277 VAC, 60Hz, SPDT, Indoor Metal Enclosure, 2 Hour Interval
UPC Code	078275460218
Brand	Intermatic
Country of Origin (Intermatic)	MEXICO
Warranty Period	1-Year limited
TARIC HS Code	9107.00.00

Control Specifications

Minimum ON/OFF Times	2 hours
Skipper Wheel	Not Included
Operation Mode	7 day
Has Manual Override	Yes
On Events	21
Off Events	21
Total Events	42

Mechanical Specifications

Enclosure Type	Indoor type 1 metal
Number of Trippers Included	84

Dimensions

Product Dimensions (H x W x D) in	7.875 x 5.125 x 3.437 in
Wire Size Min	#14 AWG
Wire Size Max	#12 AWG

Material Specifications

Color Gray

Load Ratings

Resistive (NO) Range(s)	20 A, 125-277 VAC
Motor Load Ratings Ranges	1/2 HP, 125 VAC, 60 Hz; 1 HP, 250 VAC, 60 Hz

Electrical Specifications

Wiring Option	Terminals
Input Voltage Range(s)	208-277 VAC, 60 Hz
Number of Circuits	1
Switch Type	SPDT
Maximum Power Consumption (W)	3 W
Hz	60

Packaging

Shipping Weight (lbs)	3.75
Unit Carton Dimensions (H x W x L) in	8.25 x 3.5 x 5.5 in

Environmental Specifications

Temperature (operation)	-40 °F to 130 °F / (-40 °C to 54 °C)
-------------------------	--------------------------------------

Standards and Certifications

CSA Certification	cCSAus
Other Certifications and Compatibilities	Green Energy
California Proposition 65	Lead
RoHS Certification	N/A

ACCESSORIES



156T1950A
Set of 12 Trippers for T1900, T2000,
C8800, R8800 and T8800 Series



22T338GR
Mounting Bracket for Intermatic
Standardized Timer Mechanisms



124T2058
Insulator for T1905, T1906, T2006,
T2005, C8815, C8825, C8835, C8845,
C8855, C8865, C8866



124T907A
Insulator Assembly (S001)



133T701A
Replacement Snap Switch for T1900
and T2000 Series



156T1957A
Skipper Screws (3 per package)



156T1950AD12
12 Bags of 156T1950A Trippers for
T1900, T2000, C8800, R8800, and
T8800 Series

156T2978A
Package Accessory Trippers