

Plug-In Timer - Outdoor Mechanical Plug-In Timer with Built-In Enclosure.

Item P1131



PRODUCT DESCRIPTION

These plug-in timers are grounded and utilize a flip-open enclosure rated for outdoor use. These heavy-duty timers are great for providing timer function to pumps, landscaping or holiday lighting. 24-hour timers come with 2 On and 2 Off settings.

FEATURES

- ▶ 2 ON/2 OFF settings per day with removable trippers, more ON/OFF events with addition of extra trippers.
- ▶ Minimum 30-min ON/OFF time.
- ▶ Built into outdoor rated enclosure with clear or black flip cover.
- ▶ Grounded twist-lock NEMA L5-20 plug & receptacle.
- ▶ Plugs directly into wall outlet.

APPLICATIONS

- ▶ Outdoor Lighting Control
- ▶ Landscape Water Control
- ▶ Pool Pump
- ▶ Outdoor Water Fountains

TECHNICAL DATA

General

| | |
|--------------------------------|---|
| Model Number | P1131 |
| Description | Outdoor Mechanical Plug-In Timer with Built-In Enclosure. |
| UPC Code | 078275060982 |
| Brand | Intermatic |
| Country of Origin (Intermatic) | MEXICO |
| Warranty Period | 1-Year limited |
| TARIC HS Code | 9107.00.00 |

Control Specifications

| | |
|-----------------------------|------------------------|
| Minimum ON/OFF Times | 30 min |
| Mechanism Type | Analog/Mechanical |
| Application Compatibilities | Incandescent; Tungsten |
| On Events | 24 |
| Off Events | 24 |
| Total Events | 48 |

Mechanical Specifications

| | |
|---------------------|---------|
| Plug Configurations | L5-20 |
| Mount Type | Plug-In |

Dimensions

| | |
|-----------------------------------|------------------------|
| Product Dimensions (H x W x D) in | 5.375 x 5.125 x 2.5 in |
| Cord Size | 22" |

Material Specifications

| | |
|-------|-------|
| Color | Black |
|-------|-------|

Load Ratings

Motor Load Ratings NO Ranges 1 HP, 16 FLA, 96 LRA @ 120 VAC

Electrical Specifications

Input Voltage Range(s) 120 VAC, 60 Hz

Watts 2400

Hz 60

Amperage 20 A

Packaging

Shipping Weight (lbs) 1.647

Unit Carton Dimensions (H x W x L) in 7.75 x 3.81 x 5.75 in

Environmental Specifications

Usage Environments Outdoor

Standards and Certifications

CSA Certification cCSAus

Other Certifications and Compatibilities Green Energy

California Proposition 65 DEHP

RoHS Certification N/A

ACCESSORIES



107TN221

Red (OFF) tripper for TN, PB, TB Series, P1101, P1131, P1161, P1261P, AL300TPWS, AL600TPWS and AL900TPWS



107TN222

Turquoise (ON) tripper for TN, PB, TB Series, P1101, P1131, P1161, P1261P, AL300TPWS, AL600TPWS and AL900TPWS