

Plug-In Timer - Heavy-Duty 24-Hour Indoor Mechanical Plug-In Timer

Item TN311K



PRODUCT DESCRIPTION

The TN311 Series provides a quick and easy way to automate ON/OFF schedules and plugs directly into standard wall outlets.

FEATURES

- ▶ 3 ON/3 OFF settings per day with removable trippers, more ON/OFF events with addition of extra trippers
- ▶ Minimum 30-min ON/OFF time
- ▶ Grounded receptacle and 3-prong plug
- ▶ Plugs directly into wall outlet

TECHNICAL DATA

General

Model Number	TN311K
Description	Heavy-Duty 24-Hour Indoor Mechanical Plug-In Timer
UPC Code	078275145429
Brand	Intermatic
Country of Origin (Intermatic)	MEXICO
Warranty Period	1-Year limited
TARIC HS Code	9107.00.00

Control Specifications

Minimum ON/OFF Times	30 min
Operation Mode	24 hour
Mechanism Type	Analog/Mechanical
On Events	24
Off Events	24
Total Events	48

Mechanical Specifications

Number of Plugs	1
Plug Configurations	5-15
Mount Type	Plug-In

Dimensions

Product Dimensions (H x W x D) in	3.125 x 3 x 2 in
-----------------------------------	------------------

Material Specifications

Color	White
-------	-------

Load Ratings

Magnetic Ballast (NO) Range(s)	15 A, 125 VAC
--------------------------------	---------------

Resistive (NO) Range(s)	15 A, 125 VAC
Motor Load Ratings NO Ranges	1/3 HP @ 125 VAC
Tungsten Incandescent Load Ratings NO Ranges	1875 W, 125 VAC

Electrical Specifications

Input Voltage Range(s)	125 VAC, 60 Hz
Hz	60
Amperage	15 A

Packaging

Shipping Weight (lbs)	0.42
Unit Carton Dimensions (H x W x L) in	3.125 x 3.125 x 3.125 in
Product Weight (lbs)	0.42

Environmental Specifications

Usage Environments	Indoor
--------------------	--------

Standards and Certifications

CSA Certification	cCSAus
Other Certifications and Compatibilities	Green Energy
California Proposition 65	None

ACCESSORIES



107TN222

Turquoise (ON) tripper for TN, PB, TB Series, P1101, P1131, P1161, P1261P, AL300TPWS, AL600TPWS and AL900TPWS



107TN221

Red (OFF) tripper for TN, PB, TB Series, P1101, P1131, P1161, P1261P, AL300TPWS, AL600TPWS and AL900TPWS