

Item Bundle - Freeze Protection Control Center with Timer and Thermostat for 240V Applications, Type 3R Metal Enclosure

Item PF1112T



PRODUCT DESCRIPTION

Protects pool/spa equipment against freeze damage.

FEATURES

- ▶ GFCI and switch mounting capabilities
- ▶ Turns pump and heater ON when outdoor temperature drops below user-adjustable setpoint on thermostat
- ▶ Heavy-duty Type 3R metal indoor/outdoor enclosure
- ▶ Heavy-duty metallic rainproof enclosure
- ▶ For use with pool and spa, pond, fountain or marina type applications

APPLICATIONS

- ▶ Protection
- ▶ Pump Control

TECHNICAL DATA

General	
Model Number	PF1112T
Description	Freeze Protection Control Center with Timer and Thermostat for 240V Applications, Type 3R Metal Enclosure
UPC Code	078275071407
Brand	Intermatic
Country of Origin (Intermatic)	MEXICO
Warranty Period	1-Year limited
Mechanical Specifications	
Enclosure Type	3R Beige metal
Dimensions	
Product Dimensions (H x W x D) in	12 x 12.875 x 4.25 in
Material Specifications	
Color	Beige
Load Ratings	
Resistive (NO) Range(s)	17 A, 240 VAC
Motor Load Ratings NO Ranges	3 HP @ 240 VAC
Electrical Specifications	
Number of Circuits	1
Switch Type	DPST
Maximum Power Consumption (W)	3 W
Power Center Ratings Display	120/240 VAC, 60 Hz, Single-Phase
Number of Receptacle/Switch Knockouts	3
Hz	60

Packaging

Shipping Weight (lbs)	11.177
Unit Carton Dimensions (H x W x L) in	5.63 x 12.06 x 13.81 in

Operating Specifications

Thermostat Range Minimum (°C)	0.5
Thermostat Range Minimum (°F)	33
Thermostat Range Maximum (°C)	6
Thermostat Range Maximum (°F)	42

Standards and Certifications

CSA Certification	cCSAus
Other Certifications and Compatibilities	Green Energy
California Proposition 65	Lead
RoHS Certification	N/A

ACCESSORIES



156T1978AMX
1 Set of ON/OFF Trippers for T100,
T7000, and WH40

156T1978A
Extra/replacement trippers 1 ON and 2 Spacer-Standoff, 3" long - 2 pack
OFF



21T166A



21T156A
Spacer-Standoff, 3" long - 4 pack



178T24
Freeze Protection Thermostat