

Load Center - 80 A Load Center

Item PE30000



PRODUCT DESCRIPTION

This system can be used as a load center only, or add mechanisms or wiring devices for complete control systems.

FEATURES

- ▶ 80 A 8-position breaker base.
- ▶ 3-SPST mechanism (P1353ME) controls single and two-speed filter pumps, cleaner/booster pumps, and pool/spa landscape lighting.
- ▶ P1353ME sold separately.
- ▶ Load center dead front has four knockouts for switches or GFCIs.
- ▶ Transformer option provides low voltage for LED lights.
- ▶ Wiring devices may be installed in these load centers with the use of Standoffs, sold separately.

APPLICATIONS

- ▶ Distribution/Control Panel

TECHNICAL DATA

| General | |
|---------------------------------------|--|
| Model Number | PE30000 |
| Description | 80 A Load Center |
| UPC Code | 078275107328 |
| Brand | Intermatic |
| Country of Origin (Intermatic) | MEXICO |
| Warranty Period | 1-Year limited |
| Mechanical Specifications | |
| Number of Breaker Knockouts | 8 |
| Number of Receptacle/Switch Knockouts | 4 |
| Dimensions | |
| Product Dimensions (H x W x D) in | 22.875 x 14.875 x 4.75 in |
| Material Specifications | |
| Color | Ivory |
| Load Ratings | |
| Load Center Ratings | 80 A, 120-240 VAC, 50 Hz;80 A, 120 VAC, 60 Hz;80 A, 240 VAC, 60 Hz, Single Phase |
| Packaging | |
| Shipping Weight (lbs) | 24.21 |
| Unit Carton Dimensions (H x W x L) in | 5.509 x 16.009 x 23.509 in |
| Standards and Certifications | |
| CSA Certification | cCSAus |
| California Proposition 65 | None |

RoHS Certification

N/A

ACCESSORIES



178PA28A
Freeze Probe Kit, 10k OHM, For
MultiWave systems



21T166A
Spacer-Standoff, 3" long - 2 pack



21T156A
Spacer-Standoff, 3" long - 4 pack

22T713
Bracket Painted

8--00008A
Latch-Enclosure

124--00140A
Pool Panel Breaker Base, 8-pole