

Portable Outdoor Timer - Two-Circuit Portable Outdoor Timer

Item P1261P



PRODUCT DESCRIPTION

Use these convenient plug-in timers instead of hard-wired controls. They offer plug-in receptacles for convenience and ease of use. They have built-in GFCI protected circuits.

FEATURES

- ▶ 24-hour with 23 ½-hour MAX ON time.
- ▶ Timed circuit controlled by timer.
- ▶ Timed and photocontrol circuit controlled by photocell and timer (P1251P only).
- ▶ Built-in GFCI protected circuits and three-prong grounded plug for time switch supply.
- ▶ Type 3R plastic indoor/outdoor enclosure.
- ▶ 2 ON/OFF trippers standard.
- ▶ Accepts up to 12 sets of trippers.

APPLICATIONS

- ▶ Landscape Lighting
- ▶ Motor Control
- ▶ Pump Control

TECHNICAL DATA

General	
Model Number	P1261P
Description	Two-Circuit Portable Outdoor Timer
UPC Code	078275067530
Brand	Intermatic
Country of Origin (Intermatic)	MEXICO
Warranty Period	1-Year limited
Control Specifications	
Operation Mode	24 hour
Mechanical Specifications	
Plug Configurations	5-15
Enclosure Type	Indoor/outdoor type 3R plastic
Dimensions	
Product Dimensions (H x W x D) in	9.375 x 5.5 x 4 in
Cord Size	3 wire, outdoor grade, 24" with grounded plug
Cord Length (ft)	2
Cord Length (m)	0.61
Material Specifications	
Color	Beige
Load Ratings	
Motor Load (NO) Range(s)	1 HP, 15 FLA, 90 LRA @ 120 VAC
Tungsten Incandescent (NO) Range(s)	15 A, 1800 W



Packaging	
Shipping Weight (lbs)	2.744
Unit Carton Dimensions (H x W x L) in	10.5 x 7 x 4 in
Standards and Certifications	
CSA Certification	cCSAus
Other Certifications and Compatibilities	Green Energy
California Proposition 65	DEHP
RoHS Certification	N/A

ACCESSORIES



107TN221
Red (OFF) tripper for TN, PB, TB Series, P1101, P1131, P1161, P1261P, AL300TPWS, AL600TPWS and AL900TPWS



107TN222
Turquoise (ON) tripper for TN, PB, TB Series, P1101, P1131, P1161, P1261P, AL300TPWS, AL600TPWS and AL900TPWS