

Item Bundle - Pool/Spa Remotely Operated Combination Control System

Item RC2163BFE



PRODUCT DESCRIPTION

Control ON/OFF timing of pool/spa loads remotely, away from the water. Includes actuators for turning valves between pool and spa modes.

FEATURES

- ▶ Eight breaker spaces.
- ▶ Use spring wound timer, toggle switch, wireless receiver/transmitter or ABRA In-Wall Wi-Fi Smart Switch (SH-ABIWS1-WH) to operate equipment.
- ▶ 3-Wire heater control.
- ▶ Digital override timer for spa mode.
- ▶ (2) PE24VA 24-V valve actuators included.
- ▶ Heavy-duty Type 3R metal indoor/outdoor load center.

APPLICATIONS

- ▶ Heater Thermostat Control
- ▶ Motor Control
- ▶ Pump Control

TECHNICAL DATA

General	
Model Number	RC2163BFE
Description	Pool/Spa Remotely Operated Combination Control System
UPC Code	078275088245
Brand	Intermatic
Country of Origin (Intermatic)	TAIWAN
Warranty Period	1-Year limited
Control Specifications	
Number Of Heaters Controlled	1
Number of Actuators Included	2
Mechanical Specifications	
Number of Breaker Knockouts	8
Enclosure Type	3R Beige metal
Dimensions	
Product Dimensions (H x W x D) in	16.875 x 10.875 x 4.75 in
Material Specifications	
Color	Beige
Load Ratings	
Motor Load Ratings Single Speed	1 1/2 HP @ 120 VAC, 3 HP @ 240 VAC, 60 Hz
Load Center Rating Display	100 A, 120/240 VAC or 120/208 VAC, Single Phase, 60 Hz
Electrical Specifications	



Number of Circuits	1
Switch Type	SPST (not included)
Number of Actuators Controlled	3

Packaging

Shipping Weight (lbs)	24.948
Unit Carton Dimensions (H x W x L) in	10.5 x 13.88 x 19.5 in

Standards and Certifications

CSA Certification	cCSAus
Other Certifications and Compatibilities	Green Energy
California Proposition 65	DEHP
RoHS Certification	N/A

ACCESSORIES



21T166A
Spacer-Standoff, 3" long - 2 pack

22T713
Bracket Painted

8--00008A
Latch-Enclosure

124--00140A
Pool Panel Breaker Base, 8-pole

188RC1712A
PCB Assembly Hand/Wave