Weatherproof Cover - Plastic In-Use Weatherproof Cover, Double-Gang, Vrt, 2.25" White

Item WP1020WC



FEATURES

- Complies with 2020 NEC Article 314.15 for damp and wet locations.
- UL Certified for Type 3R outdoor enclosures.
- Meets requirements for cold impact testing: -60° F (-51° C).
- Heavy-duty UV stabilized polycarbonate cover, mounting base and inserts.
- 1/8" (3 mm) thick neoprene gasket with slits for mounting screws.
- Two inserts provided with all models for multiple installations.
- Max cord size: (2) #14 AWG or (1) #12 AWG, WP1050 (2) #14 AWG or (1) #10 AWG.
- Warranty: 1-year limited.

APPLICATIONS

- Receptacle Protection

TECHNICAL DATA

General	
Model Number	WP1020WC
Description	Plastic In-Use Weatherproof Cover, Double-Gang, Vrt, 2.25" White
UPC Code	078275140110
Brand	Intermatic
Country of Origin (Intermatic)	MEXICO
Warranty Period	1-Year limited

Mechanical Specifications	
Number of Included Inserts	2
Insert Types Included	WP101; WP102
Hinge Direction	Vertical
Is Extra-Duty Rated	No
Number of Gangs	Double
Electrical Box Shape	Square

Dimensions	
Product Dimensions (H x W x D) in	5 1/2 x 5 x 2 1/4 in
Accepted Cord Size Max	2x14 AWG; 1x12 AWG
Box Type	Double

Material Specifications	
Color	White
Weatherproof Cover Material	UV Stabilized Plastic

Packaging	
Shipping Weight (lbs)	0.539
Unit Carton Dimensions (H x W x L) in	3.133 x 5.253 x 5.503 in

Standards and Certifications

UL Certification	cULus
California Proposition 65	None

ACCESSORIES



WP101
Double-Gang Duplex Insert



WP102
Double-Gang GFCI Insert