# Weatherproof Cover - Plastic In-Use Weatherproof Cover, Single-Gang, Vrt/Hrz, 3.625" Clear

Item WP1110C



## PRODUCT DESCRIPTION

Plastic In-Use Weatherproof Covers are easy to install and include adhered gasket, mounting screws, base, cover assembly and inserts to meet the needs of a variety of applications.

## FEATURES

- Complies with 2020 NEC Article 314.15 for damp and wet locations.
- UL Certified for Type 3R outdoor enclosures.
- Meets requirements for cold impact testing: -60° F (-51° C).
- Heavy-duty UV stabilized polycarbonate cover, mounting base and inserts.
- 1/8" (3 mm) thick, pre-adhered neoprene gasket with slits for mounting screws.
- Lockable hasp: All models accept up to 1/4" (6 mm) dia shank, except WP3100C & WP3103C accept up to 1/8" (3 mm) dia shank.
- Three inserts provided with all models that allow each model to meet multiple installations (up to 16 configurations).
- Max cord size: (2) #14 AWG or (1) #12 AWG.
- Mounts vertically or horizontally.
- Warranty: 1-year limited.

## APPLICATIONS

- Receptacle Protection

## TECHNICAL DATA

| General | |
|---|---|
| Model Number | WP1110C |
| Description | Plastic In-Use Weatherproof Cover, Single-Gang, Vrt/Hrz, 3.625" Clear |
| UPC Code | 078275072824 |
| Brand | Intermatic |
| Country of Origin (Intermatic) | MEXICO |
| Warranty Period | 1-Year limited |

| Mechanical Specifications | |
|---|---|
| Number of Included Inserts | 3 |
| Insert Types Included | WP17 |
| Hinge Direction | Vertical/Horizontal |
| Cold Impact Testing Temperature (°C) | -51 |
| Cold Impact Testing Temperature (°F) | -60 |
| Cover Gasket | 3mm |
| Enclosure Type | Outdoor type 3R plastic |
| Is Extra-Duty Rated | No |
| Number of Gangs | Single |
| Electrical Box Shape | Rectangle |

| Dimensions | |
|---|---|
| Lockable Hasp Maximum Diameter (in) | 1/4 |
| Lockable Hasp Maximum Diameter (mm) | 6 |
| Product Dimensions (H x W x D) in | 5.75 x 4 x 3.625 in |
| Accepted Cord Size Max | 2x14 AWG; 1x12 AWG |

Technical specifications and other information are subject to change without notice. Images can vary from original.

| | |
|---|---|
| Box Type | Single |

| **Material Specifications** | |
|---|---|
| Color | Clear |
| Weatherproof Cover Material | UV Stabilized Plastic |

| **Packaging** | |
|---|---|
| Shipping Weight (lbs) | 0.444 |
| Unit Carton Dimensions (H x W x L) in | 4.001 x 4.501 x 6.251 in |

| **Standards and Certifications** | |
|---|---|
| UL Certification | cULus |
| Compliance | 2020 NEC Article 314.15; CEC Article 26-702 |
| California Proposition 65 | None |
| RoHS Certification | N/A |

## ACCESSORIES



WP17
Single-Gang Inserts (3)