Weatherproof Cover - Plastic In-Use Weatherproof Cover, Single-Gang, Vrt/Hrz, 2.75" Clear, 3/0 Adapter Plate

Item WP3103C



PRODUCT DESCRIPTION

The WP3103C In-Use Weatherproof Cover provides reliable protection for single-gang receptacles in outdoor, damp, and wet-location applications. Constructed from heavy-duty, UV-stabilized polycarbonate, this clear cover features a pre-adhered neoprene gasket and lockable hasp to help deliver durable, secure performance in demanding environments. Its versatile design mounts vertically or horizontally, includes multiple inserts to accommodate up to 16 configurations, and features a 3/0 adapter plate for use with 3-inch round electrical boxes. UL Certified for Type 3R outdoor enclosures and tested for cold impact down to -60°F (-51°C), the WP3103C offers a flexible and dependable solution for protecting outdoor electrical connections.

FEATURES

- Complies with 2020 NEC Article 314.15 for damp and wet locations.
- UL Certified for Type 3R outdoor enclosures.
- Meets requirements for cold impact testing: -60° F (-51° C).
- Heavy-duty UV stabilized polycarbonate cover, mounting base and inserts.
- 1/8" (3 mm) thick, pre-adhered neoprene gasket with slits for mounting screws.
- Lockable hasp: All models accept up to 1/4" (6 mm) dia shank, except WP3100C & WP3103C accept up to 1/8" (3 mm) dia shank.
- Three inserts provided with all models that allow each model to meet multiple installations (up to 16 configurations).
- Max cord size: (2) #14 AWG or (1) #12 AWG.
- Mounts vertically or horizontally.
- Warranty: 1-year limited.

APPLICATIONS

- Receptacle Protection

TECHNICAL DATA

General	
Model Number	WP3103C
Description	Plastic In-Use Weatherproof Cover, Single-Gang, Vrt/Hrz, 2.75" Clear, 3/0 Adapter Plate
UPC Code	078275124721
Brand	Intermatic
Country of Origin (Intermatic)	MEXICO
Warranty Period	1-Year limited

Mechanical Specifications	
Number of Included Inserts	3
Insert Types Included	WP17
Hinge Direction	Vertical/Horizontal
Is Extra-Duty Rated	No
Number of Gangs	Single
Electrical Box Shape	Rectangle; Round

Dimensions	
Lockable Hasp Maximum Diameter (in)	1/8
Lockable Hasp Maximum Diameter (mm)	3
Product Dimensions (H x W x D) in	5.75 x 4 x 2.75 in

Accepted Cord Size Max	2x14 AWG; 1x12 AWG
Box Type	Single

Material Specifications	
Color	Clear
Weatherproof Cover Material	UV Stabilized Plastic

Packaging	
Shipping Weight (lbs)	0.519
Unit Carton Dimensions (H x W x L) in	2.98 x 4.069 x 5.759 in

Standards and Certifications	
UL Certification	cULus
California Proposition 65	None
RoHS Certification	N/A

ACCESSORIES



WP17
Single-Gang Inserts (3)