






NOTES:

UNLESS OTHERWISE SPECIFIED:
-cULus RATED
-MADE OF 14GA 0.074"(1.80mm) 304 2B STAINLESS STEEL
-MOUNTING BASE MADE OF 0.188"(4.78mm) 304 2B STAINLESS STEEL
-POWDER COATED BLACK (BK) OR GRAY (GY)
-SELF CLOSING LID WITH LOCKABLE HASP
-1/4" STAINLESS STEEL MOUNTING HARDWARE
-DIMENSIONS ARE: INCHES (MILLIMETERS)


-MOUNTING PLATE SELECTION REQUIRED (SOLD SEPARATELY)

INTERMATIC
WWW.INTERMATIC.COM


DESCRIPTION	DATE	
SURFACE MOUNT PEDESTAL DIMENSIONS - OP5XX24	07/30/2024	
DWG. NO.	SCALE	REV.
OP5XX24_D1	N.T.S.	A




ISOMETRIC VIEW



ISOMETRIC VIEW
OPEN



DOUBLE GANG MODELS
BASE MEASUREMENTS




DOUBLE GANG MODELS

INTERMATIC
WWW.INTERMATIC.COM


DESCRIPTION	DATE	
SURFACE MOUNT PEDESTAL ISOMETRIC VIEW - OP5XX24	07/30/2024	
DWG. NO.	SCALE	REV.
OP5XX24_D2	N.T.S.	A

DOUBLE-GANG PEDESTAL MOUNTING PLATE MP5XXD (DECOR)




FRONT VIEW | SIDE VIEW | ISOMETRIC VIEW

DOUBLE-GANG PEDESTAL MOUNTING PLATE MP5XXS3S (30A, 1-9/16" ROUND)




FRONT VIEW | SIDE VIEW | ISOMETRIC VIEW

DOUBLE-GANG PEDESTAL MOUNTING PLATE MP5XXS3L (30A, 2-1/8" ROUND)



FRONT VIEW | SIDE VIEW | ISOMETRIC VIEW

DOUBLE-GANG PEDESTAL MOUNTING PLATE MP5XXS56L (50A / 60A ROUND)




FRONT VIEW | SIDE VIEW | ISOMETRIC VIEW

INTERMATIC
WWW.INTERMATIC.COM

DESCRIPTION	DATE	
DOUBLE GANG PEDESTAL MOUNTING PLATES	07/30/2024	
DWG. NO.	SCALE	REV.
OP5XX24_D4	N.T.S.	A

INTERMATIC PEDESTAL ENGINEERING SPEC DRAWING TECHNICAL SHEET



INTERMATIC WWW.INTERMATIC.COM		
DESCRIPTION	DATE	
SURFACE MOUNT PEDESTAL INSTALLATION - OP5XX24	07/30/2024	
DWG. NO.	SCALE	REV.
OP5XX24_D3	N.T.S.	A